



Machines

Pneu Tyred Rollers AP Line



The AP 240 Pneumatic Tyre Roller is Ammann's most popular model worldwide. The AP 240 roller provides excellent riding characteristics on all types of compacted material.

Universal, fast, reliable – the best performing PTR worldwide

Compaction versatility

The uniform static action of the flexible rubber wheels results in a highly efficient tamping and sealing effect into compacted material. Full range ballasting ability, from 9 up to 24 tons, together with easily adjustable tyres, using the Air-on-Run pressurizing system, allows the contact pressure of the tyres to be changed. With these features the AP 240 can be set up for exact compaction outputs in a wide field of applications, from asphalt wearing courses through to gravel pavements and soil and sand stabilization.

Flexible ballasting

The new "Easy Load"* ballasting system, with four ballasting boxes located in a rack under the frame, provides easy and safe adjustment of the machine's weight. Ballasting flexibility is completed by 3 cubic metres of ballasting space in the frame of the machine, which can be filled with water, inert material, or steel up to a maximum weight of 24 tons.

		AP 240	AP 240	AP 240 H	AP 240
		Tier 2	Tier 3	Tier 3	Tier 4i
Basic weight (incl. Cab and ROPS)	kg	9 340	9 590	9 630	9 700
Max. Weight	kg	24 000	24 000	24 000	24 000
Propulsion	-	Hydromechanic	Hydromechanic	Hydrostatic	Hydromechanic
Engine	-	Cummins BT 4,5	Cummins QSB 3,3		Deutz TCD 3.6 L4
Emission stage	-	EU Stage II/Tier 2	EU Stage IIIa/Tier 3		EU Stage IIIb/Tier 4i
Engine output	kW	74			

*Available for AP 240 H T3 and AP 240 T4i



One concept, two propulsion options

The AP240 Pneumatic Tyre Roller is flexible in its design, and provides the possibility to choose different propulsion concepts, and also to choose different emission stages for the engines.

The machine can be equipped with hydrostatic** or hydromechanic propulsion, and with engines in stages Tier 2, Tier 3 or Tier 4interim.

**Available only with engine Tier3



AP 240 H



AP 240 - Hydromechanic



AP 240 H - Hydrostatic

Engine compartment

- All maintenance and service points easily accessible
- Centralized draining points for service liquid

Operator comfort

- Spacious, well glassed cab
- Open platform version available
- ROPS and FOPS protection
- Pleasant operator station provides highest comfort

Traction and steering

- Smooth riding behavior and sensitive steering
- Rear axle inter diff lock (option)
- Isostatic suspension of front axle

Ballasting options

- Ballasting space 3m³
- Water ballast option (up to 3 ton)
- Easy load ballasting boxes (AP-H Tier 3/AP Tier 4i)

Service and maintenance

- Filling and draining points for service fluids are centralized for easy and fast fluid exchange
- Accessible and easy cleanable cooler

Australia: Ammann Australia Pty. Ltd. | Narangba 4504

Austria: Ammann Austria GmbH | 4113 St. Martin im Mühlkreis

Brazil: Ammann do Brasil | CEP: 94180-452 Gravataí/RS

Bulgaria: Ammann Bulgaria | 1700 Sofia

China: Ammann Construction Machinery Shanghai Co. Ltd. | Shanghai 201700

Czech Republic: Ammann Czech Republic a.s. | 54901 Nové Město nad Metují

Ammann Asphalt GmbH | 60200 Brno

France: Ammann France SAS | 94046 Créteil/Cedex

Germany: Ammann Asphalt GmbH | 31061 Alfeld (Leine)

Ammann Verdichtung GmbH | 53773 Hennef

Ammann Elba Beton GmbH | 76275 Ettlingen

India: Ammann Apollo India Private Ltd. | Ahmedabad 380 009

Indonesia: Ammann South East Asia | Jakarta 11530

Italy: Ammann Italy S.p.A. | 37012 Bussolengo

Kazakhstan: Ammann Kazakhstan LLP | Almaty 050051

Netherlands: Ammann Benelux B.V. | 7730 SK Ommen

Poland: Ammann Polska sp.z.o.o. | 02-230 Warszawa

Romania: Ammann Group Romania S.R.L. | 077125 Magurele

Russia: Ammann Russia o.o.o. | 127 473 Moscow

Singapore: Ammann Singapore Pte. Ltd. | 307591 Singapore

Spain: Ammann Iberia S L | Madrid

South Africa: Ammann Construction Machinery South Africa | Benoni 1500

Sweden: Ammann Scandinavia | 211 20 Malmö

Switzerland: Ammann Switzerland Ltd. | 4901 Langenthal

Avesco AG | 4901 Langenthal

Turkey: Ammann Teknomak A.S. | Ankara 06370

Ukraine: OOO Ammann Ukraine | 03150 Kiev

United Arab Emirates: Ammann NME FZE | Dubai

United Kingdom: Ammann UK Ltd. | Warwickshire CV37 0TY

USA: Ammann America Inc. | Ponte Vedra | Florida 32082

Detailed information can be found at: www.ammann-group.com

